

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6658002".pn. "4896934".pn.	US-PGPUB; USPAT	OR	ON	2010/06/16 13:50
L2	2	L1 and (control)	US-PGPUB; USPAT	OR	ON	2010/06/16 13:50
L3	1	L1 and (access\$3 near3 control)	US-PGPUB; USPAT	OR	ON	2010/06/16 13:50
L4	3	"6658002".pn. or "4896934".pn. or "7151777".pn.	US-PGPUB; USPAT	OR	ON	2010/06/16 13:52
L5	2	L4 and (control\$3)	US-PGPUB; USPAT	OR	ON	2010/06/16 13:52
L6	3	L4 and (access\$4)	US-PGPUB; USPAT	OR	ON	2010/06/16 14:06
L7	1	L4 and (ip near2 address)	US-PGPUB; USPAT	OR	ON	2010/06/16 14:14
L8	1	L4 and (ip near2 address) and (logical)	US-PGPUB; USPAT	OR	ON	2010/06/16 14:14
L9	1	L4 and (ip near2 address) and (logical) and (file)	US-PGPUB; USPAT	OR	ON	2010/06/16 14:14
L10	1	L4 and (ip near2 address) and (logical) and (file) and (lan)	US-PGPUB; USPAT	OR	ON	2010/06/16 14:15
L11	1	L4 and (ip near2 address) and (logical) and (file) and (lan) and (packet)	US-PGPUB; USPAT	OR	ON	2010/06/16 14:15
L12	1	L4 and (ip adj address) and (logical) and (file) and (lan) and (packet)	US-PGPUB; USPAT	OR	ON	2010/06/16 14:20
L13	2	L4 and (logical)	US-PGPUB; USPAT	OR	ON	2010/06/16 14:27
L14	1	L4 and (file)	US-PGPUB; USPAT	OR	ON	2010/06/16 14:33
L15	1	L4 and (local near2 network \$3)	US-PGPUB; USPAT	OR	ON	2010/06/16 14:36
L16	0	L4 and (ip near3 data)	US-PGPUB; USPAT	OR	ON	2010/06/16 14:40
L17	1	L4 and (ip near2 packet)	US-PGPUB; USPAT	OR	ON	2010/06/16 14:40
S1	618	@ad<"20030411" and network and (port near3 security)	US-PGPUB; USPAT	OR	ON	2007/03/16 09:18

S2	32	@ad<"20030411" and network and (port near3 security) and (port near3 map)	US-PGPUB; USPAT	OR	ON	2007/03/19 10:09
S3	20	@ad<"20030411" and network and (port near3 security) and (port near3 map) and (compar\$3)	US-PGPUB; USPAT	OR	ON	2006/10/19 15:47
S4	1	@ad<"20030411" and network and ((port near3 security) same (port near3 map) same (compar\$3 or (logical near "and")))	US-PGPUB; USPAT	OR	ON	2006/10/19 15:43
S5	6507	@ad<"20030411" and network and (bit near map)	US-PGPUB; USPAT	OR	ON	2006/10/19 15:48
S6	19	@ad<"20030411" and network and ((bit near map) same (logical near "AND"))	US-PGPUB; USPAT	OR	ON	2007/10/09 11:31
S7	22	@ad<"20030411" and network and ((bit near2 map) same (logical near "AND"))	US-PGPUB; USPAT	OR	ON	2007/10/10 10:55
S8	1	"5951651".pn.	US-PGPUB; USPAT	OR	ON	2006/10/20 08:36
S9	1	"5951651".pn. and (bit near2 map) and (port) and (compar\$5) and (send\$3 or forward\$3)	US-PGPUB; USPAT	OR	ON	2006/10/20 08:39
S10	1	"5951651".pn. and (bit near2 map) and (port) and (compar\$5) and (send\$3 or forward\$3 or rout\$3)	US-PGPUB; USPAT	OR	ON	2006/10/20 10:29
S11	0	"20040066781" and (bit near2 map) and (port) and (compar\$5) and (send\$3 or forward\$3 or rout\$3)	US-PGPUB; USPAT	OR	ON	2006/10/20 10:30
S12	1	"20040066781"	US-PGPUB; USPAT	OR	ON	2006/10/20 10:30
S13	1	"20040066781" and (bit near map)	US-PGPUB; USPAT	OR	ON	2006/10/20 10:30
S14	1	"20040066781" and (bit near map) and port	US-PGPUB; USPAT	OR	ON	2006/10/20 10:30
S15	1	"20040066781" and ((bit near map) same port)	US-PGPUB; USPAT	OR	ON	2006/10/20 10:33
S16	1	"20040066781" and ((bit near map) same port) and (logical near "AND")	US-PGPUB; USPAT	OR	ON	2006/10/20 10:34

S17	7	(US-20040066781-\$ or US-20040066780-\$ or US-20040032869-\$).did. or (US-4757529-\$ or US-6792518-\$ or US-5951651-\$ or US-5068892-\$).did.	US-PGPUB; USPAT	OR	ON	2006/10/20 10:59
S18	7	S17 and (generat\$3)	US-PGPUB; USPAT	OR	ON	2006/10/20 11:00
S19	3	S17 and (generat\$3 near5 (map))	US-PGPUB; USPAT	OR	ON	2006/10/20 11:06
S20	3	S17 and (generat\$3 near5 (map)) and (logical)	US-PGPUB; USPAT	OR	ON	2006/10/20 11:06
S21	3	S17 and (generat\$3 near5 (map)) and (logical near "AND")	US-PGPUB; USPAT	OR	ON	2006/10/20 11:08
S22	1	S17 and (generat\$3 near5 (map)) and (logical near "AND") and (port near match near entry)	US-PGPUB; USPAT	OR	ON	2006/10/20 11:40
S23	4	S17 and (source and destination)	US-PGPUB; USPAT	OR	ON	2006/10/20 11:41
S24	3	S17 and ((source and destination)near address)	US-PGPUB; USPAT	OR	ON	2006/10/20 11:40
S25	1	"20040032869"	US-PGPUB; USPAT	OR	ON	2006/10/20 11:41
S26	0	"20040032869" and (source near address) and (destination near address)	US-PGPUB; USPAT	OR	ON	2006/10/20 11:41
S27	0	"20040032869" and (source near address)	US-PGPUB; USPAT	OR	ON	2006/10/20 11:42
S28	0	"20040032869" and (source)	US-PGPUB; USPAT	OR	ON	2006/10/20 11:42
S29	1	"20040032869" and (address)	US-PGPUB; USPAT	OR	ON	2006/10/20 11:43
S30	1	"20040032869" and (rout\$3)	US-PGPUB; USPAT	OR	ON	2006/10/20 11:43
S31	0	"20040032869" and (file near server)	US-PGPUB; USPAT	OR	ON	2006/10/20 11:43
S32	0	"20040032869" and (local near area near network)	US-PGPUB; USPAT	OR	ON	2006/10/20 11:44
S33	0	"20040032869" and (lan)	US-PGPUB; USPAT	OR	ON	2006/10/20 11:44
S34	1	"20040032869" and (process \$3)	US-PGPUB; USPAT	OR	ON	2006/10/20 14:26
S35	1	"20040032869" and (rout\$3 and process\$3)	US-PGPUB; USPAT	OR	ON	2006/10/20 11:46

S36	7	(US-20040066781-\$ or US-20040066780-\$ or US-20040032869-\$).did. or (US-4757529-\$ or US-6792518-\$ or US-5951651-\$ or US-5068892-\$).did.	US-PGPUB; USPAT	OR	ON	2006/10/20 13:09
S37	0	S36 and (source near address) and (destination near address) and (ip near address)	US-PGPUB; USPAT	OR	ON	2006/10/20 13:09
S38	3	S36 and (source near address) and (destination near address)	US-PGPUB; USPAT	OR	ON	2006/10/20 13:09
S39	261	@ad<"20030411" and network and (source near address) and (destination near address) and (ip near address) and (file near server) and (local near area near network)	US-PGPUB; USPAT	OR	ON	2006/10/20 13:11
S40	64	@ad<"20030411" and network and (source near address) and (destination near address) and (ip near address) and (file near server) and (local near area near network) and (ip near data)	US-PGPUB; USPAT	OR	ON	2007/03/16 10:52
S41	55	@ad<"20030411" and network and (source near address) and (destination near address) and (ip near address) and (file near server) and (local near area near network) and (ip near data) and (port)	US-PGPUB; USPAT	OR	ON	2006/10/20 13:12
S42	53	@ad<"20030411" and network and (source near address) and (destination near address) and (ip near address) and (file near server) and (local near area near network) and (ip near data) and (port) and (rout \$3)	US-PGPUB; USPAT	OR	ON	2006/10/20 13:12

S43	22	@ad<"20030411" and network and (source near address) and (destination near address) and (ip near address) and (network near file near server) and (local near area near network) and (ip near data) and (port) and (rout\$3)	US-PGPUB; USPAT	OR	ON	2006/10/20 13:35
S44	0	@ad<"20030411" and network and (source near address) and (destination near address) and (ip near address) and (network near file near server) and (local near area near network) and (ip near data) and (bit near map)	US-PGPUB; USPAT	OR	ON	2006/10/20 13:13
S45	1	"5951651".pn. and (ip)	US-PGPUB; USPAT	OR	ON	2006/10/20 13:34
S46	0	"5951651".pn. and (file near server)	US-PGPUB; USPAT	OR	ON	2006/10/20 13:18
S47	0	"5951651".pn. and (local near area near network)	US-PGPUB; USPAT	OR	ON	2006/10/20 13:35
S48	22	@ad<"20030411" and network and (source near address) and (destination near address) and (ip near address) and (network near file near server) and (local near area near network) and (ip near data) and (filter\$4 or router or switch)	US-PGPUB; USPAT	OR	ON	2006/10/20 13:44
S49	1	"7076568".pn. and (source near address same packet)	US-PGPUB; USPAT	OR	ON	2006/10/20 13:44
S50	1	"7076568".pn. and (source near address same packet) and (destination near address)	US-PGPUB; USPAT	OR	ON	2006/10/20 14:00
S51	1	"7076568".pn. and (ip near3 data)	US-PGPUB; USPAT	OR	ON	2006/10/20 14:01
S52	1	"20040032869" and (match near entry)	US-PGPUB; USPAT	OR	ON	2006/10/20 14:38
S53	19	"LUND, MARTIN"	US-PGPUB; USPAT	OR	ON	2006/10/20 14:38
S54	32	@ad<"20030411" and network and (port near3 security) and (port near3 map)	US-PGPUB; USPAT	OR	ON	2006/10/20 14:39
S55	0	S54 and 713/1.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/20 14:39

S56	0	S54 and 713/2.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/20 14:39
S57	0	S54 and 713/188.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/20 14:39
S58	0	S54 and 713/194.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/20 14:39
S59	0	S54 and 380/200.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/20 14:39
S60	0	S54 and 380/201.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/20 14:39
S61	0	S54 and 380/255.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/20 14:39
S62	0	S54 and 380/277.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/20 14:39
S63	0	S54 and 3726/2.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/20 14:40
S64	1	S54 and 726/2.ccls.	US-PGPUB; USPAT	OR	ON	2006/10/20 14:40
S65	1	"7070568".pn.	US-PGPUB; USPAT	OR	ON	2006/10/20 14:41
S66	1	"7076568".pn.	US-PGPUB; USPAT	OR	ON	2006/10/20 14:45
S67	1	"20040032869"	US-PGPUB; USPAT	OR	ON	2006/10/20 14:45
S68	1	"20040205000"	US-PGPUB; USPAT	OR	ON	2006/10/20 14:46
S69	1	"20040205000"	US-PGPUB; USPAT	OR	ON	2007/03/15 16:29
S70	1	"20040032869"	US-PGPUB; USPAT	OR	ON	2007/03/15 16:29
S71	8	(US-20040066781-\$ or US-20040066780-\$ or US-20040032869-\$).did. or (US-4757529-\$ or US-7076568-\$ or US-6792518-\$ or US-5951651-\$ or US-5068892-\$).did.	US-PGPUB; USPAT	OR	ON	2007/03/15 16:45
S72	7	S71 and (bit near2 map)	US-PGPUB; USPAT	OR	ON	2007/03/15 16:46
S73	1	"5951651".pn.	US-PGPUB; USPAT	OR	ON	2007/03/16 10:19
S74	1	"5951651".pn. and (port)	US-PGPUB; USPAT	OR	ON	2007/03/16 10:19

S75	8	(US-20040066781-\$ or US-20040066780-\$ or US-20040032869-\$).did. or (US-4757529-\$ or US-7076568-\$ or US-6792518-\$ or US-5951651-\$ or US-5068892-\$).did.	US-PGPUB; USPAT	OR	ON	2007/03/16 10:48
S76	2	"L8" and (port near2 map)	US-PGPUB; USPAT	OR	ON	2007/03/16 10:50
S77	93	"L3" and (port adj bit adj map)	US-PGPUB; USPAT	OR	ON	2007/03/16 10:51
S78	3	S75 and (port adj bit adj map)	US-PGPUB; USPAT	OR	ON	2007/03/16 10:52
S79	3	S75 and (port adj ((bit adj map) or bitmap))	US-PGPUB; USPAT	OR	ON	2007/03/16 10:52
S80	185	@ad<"20030411" and (port near(bitmap or (bit near map)))	US-PGPUB; USPAT	OR	ON	2007/03/16 10:53
S81	163	@ad<"20030411" and (port adj(bitmap or (bit adj map)))	US-PGPUB; USPAT	OR	ON	2007/03/16 10:54
S82	48	@ad<"20030411" and (port adj (bitmap or (bit adj map))) same rout\$4	US-PGPUB; USPAT	OR	ON	2007/03/16 13:42
S83	2	(5951651 5689505).pn. and (rout\$3)	US-PGPUB; USPAT	OR	ON	2007/03/16 13:43
S84	2	(5951651 5689505).pn. and (process\$3)	US-PGPUB; USPAT	OR	ON	2007/03/16 13:46
S85	1	(5951651 5689505).pn. and (dynamic\$)	US-PGPUB; USPAT	OR	ON	2007/03/16 14:15
S86	2	(5951651 5689505).pn. and (ip)	US-PGPUB; USPAT	OR	ON	2007/03/16 14:15
S87	0	(5951651 5689505).pn. and (ip near address)	US-PGPUB; USPAT	OR	ON	2007/03/16 14:16
S88	1	(5951651 5689505).pn. and (ip near2 address)	US-PGPUB; USPAT	OR	ON	2007/03/16 14:18
S89	0	(5951651 5689505).pn. and (file near server)	US-PGPUB; USPAT	OR	ON	2007/03/16 14:18
S90	1	(5951651 5689505).pn. and (local)	US-PGPUB; USPAT	OR	ON	2007/03/16 14:19
S91	0	(5951651 5689505).pn. and (local near3 network\$3)	US-PGPUB; USPAT	OR	ON	2007/03/16 14:19
S92	1	(5951651 5689505).pn. and (lan)	US-PGPUB; USPAT	OR	ON	2007/03/16 14:43
S93	2	(5951651 5689505).pn. and (port)	US-PGPUB; USPAT	OR	ON	2007/03/16 14:43
S94	2	(5951651 5689505).pn. and (port same rout\$3)	US-PGPUB; USPAT	OR	ON	2007/03/16 14:44

S95	2	(5951651 5689505).pn.	US-PGPUB; USPAT	OR	ON	2007/03/19 10:29
S96	1	(5951651 5689505).pn. and (lan)	US-PGPUB; USPAT	OR	ON	2007/03/19 09:34
S97	1	(5951651 5689505).pn. and (lan or (local near2 network \$3))	US-PGPUB; USPAT	OR	ON	2007/03/19 09:35
S98	0	(5951651 5689505).pn. and (ip near2 data)	US-PGPUB; USPAT	OR	ON	2007/03/19 09:38
S99	0	(5951651 5689505).pn. and (file near2 server)	US-PGPUB; USPAT	OR	ON	2007/03/19 09:43
S100	1	"7076568".pn. and (rout\$3)	US-PGPUB; USPAT	OR	ON	2007/03/19 09:52
S101	0	"7076568".pn. and (bit near2 map)	US-PGPUB; USPAT	OR	ON	2007/03/19 09:52
S102	11	(US-20030128688-\$ or US- 20040066781-\$ or US- 20040066780-\$ or US- 20040032869-\$).did. or (US- 6501757-\$ or US-5689505-\$ or US-4757529-\$ or US- 7076568-\$ or US-6792518-\$ or US-5951651-\$ or US- 5068892-\$).did.	US-PGPUB; USPAT	OR	ON	2007/03/19 09:53
S103	1	S102 and (file near server) and (lan or (local near area near network))	US-PGPUB; USPAT	OR	ON	2007/03/19 11:04
S104	1	S102 and (file near server) and (lan or (local near area near network)) and (ip near2 data)	US-PGPUB; USPAT	OR	ON	2007/03/19 09:53
S105	0	@ad<"20030411" and (router) and (network adj file near server) and (local adj area adj server) and (ip adj2 data)	US-PGPUB; USPAT	OR	ON	2007/03/19 10:10
S106	40	@ad<"20030411" and (router) and (network adj file near server) and (local adj area adj network\$3) and (ip adj2 data)	US-PGPUB; USPAT	OR	ON	2007/03/19 10:11
S107	40	@ad<"20030411" and (router) and (network adj file near server) and (local adj area adj network) and (ip adj2 data)	US-PGPUB; USPAT	OR	ON	2007/03/19 10:11

S108	8	@ad<"20030411" and (router) same (network adj file near server) and (local adj area adj network) and (ip adj2 data)	US-PGPUB; USPAT	OR	ON	2007/03/19 10:11
S109	0	@ad<"20030411" and (router) same (network adj file near server) same (local adj area adj network) and (ip adj2 data)	US-PGPUB; USPAT	OR	ON	2007/03/19 10:11
S110	8	@ad<"20030411" and (router) same (network adj file near server) and (local adj area adj network) and (ip adj2 data)	US-PGPUB; USPAT	OR	ON	2007/03/19 10:13
S111	40	@ad<"20030411" and (router) and (network adj file near server) and (local adj area adj network) and (ip adj2 data)	US-PGPUB; USPAT	OR	ON	2007/03/19 10:13
S112	2	(5951651 5689505).pn. and (packet)	US-PGPUB; USPAT	OR	ON	2007/03/19 10:30
S113	0	(5951651 5689505).pn. and (server and network\$3)	US-PGPUB; USPAT	OR	ON	2007/03/19 10:31
S114	0	(5951651 5689505).pn. and (nework)	US-PGPUB; USPAT	OR	ON	2007/03/19 10:31
S115	0	(5951651 5689505).pn. and (nework\$3)	US-PGPUB; USPAT	OR	ON	2007/03/19 10:31
S116	2	(5951651 5689505).pn.	US-PGPUB; USPAT	OR	ON	2007/03/19 10:31
S117	0	(5951651 5689505).pn. and (server)	US-PGPUB; USPAT	OR	ON	2007/03/19 11:03
S118	2	(5951651 5689505).pn.	US-PGPUB; USPAT	OR	ON	2007/03/19 11:03
S119	1	"7143132".pn.	US-PGPUB; USPAT	OR	ON	2007/03/19 11:04
S120	4	@ad<"20030411" and network\$3 and ((generat\$5 with (bit near map\$4))same ((desitinat\$5 or target\$5) near3 address))	US-PGPUB; USPAT	OR	ON	2007/10/09 11:39
S121	8	@ad<"20030411" and network\$3 and ((generat\$5 with (bit near3 map\$4)) same ((desitinat\$5 or target \$5) near3 address))	US-PGPUB; USPAT	OR	ON	2007/10/09 11:39

S122	8	@ad<"20040411" and network\$3 and ((generat\$5 with (bit near3 map\$4)) same ((desitinat\$5 or target\$5) near3 address))	US-PGPUB; USPAT	OR	ON	2007/10/09 13:57
S123	103	@ad<"20040411" and network\$3 and (((generat\$5 or build\$3 or creat\$5 or (set near up)) with (map\$4)) same ((desitinat\$5 or target\$5) near3 address))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:01
S124	42	@ad<"20040411" and network\$3 and (((generat\$5 or build\$3 or creat\$5 or (set near up)) with (map\$4))with ((desitinat\$5 or target\$5) near3 address))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:02
S125	0	"20040205000" and network \$3 and (((generat\$5 or build \$3 or creat\$5 or (set near up)) with (map\$4))with (((desitinat\$5 or target\$5) near3 address))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:02
S126	1	"20040205000"	US-PGPUB; USPAT	OR	ON	2007/10/09 14:03
S127	0	"20040205000" and network \$3 and (((generat\$5 or build \$3 or creat\$5 or (set near up)) with (map\$4))same (((desitinat\$5 or target\$5) near3 address))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:04
S128	0	"20040205000" and network \$3 and (((generat\$5 or build \$3 or creat\$5 or (set near up)) with (map\$4))same (((desitinat\$5 or target\$5) near3 (information or address)))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:04
S129	1	"20040205000" and network \$3 and ((generat\$5 or build \$3 or creat\$5 or (set near up)) with (map\$4))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:05
S130	0	"20040205000" and network \$3 and ((generat\$5 or build \$3 or creat\$5 or (set near up)) with (map\$4)) and (((desitinat\$5 or target\$5) near3 (address or information))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:05

S131	1	"20040205000" and network \$3 and ((generat\$5 or build \$3 or creat\$5 or (set near up)) with (map\$4)) and ((destinat\$5 or target\$5) near3 (address or information))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:06
S132	6119	@ad<"20030411" and network\$3 and ((generat\$5 or build\$3 or creat\$5 or (set near up)) with (map\$4)) and ((destinat\$5 or target\$5) near3 (address or information))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:07
S133	663	@ad<"20030411" and network\$3 and (((generat\$5 or build\$3 or creat\$5 or (set near up)) with (map\$4)) same ((destinat\$5 or target \$5) near3 (address or information)))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:07
S134	290	@ad<"20030411" and network\$3 and (((generat\$5 or build\$3 or creat\$5 or (set near up)) with (map\$4)) with ((destinat\$5 or target \$5) near3 (address or information)))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:11
S135	78	@ad<"20030411" and network\$3 same (((generat \$5 or build\$3 or creat\$5 or (set near up)) with (map\$4)) with ((destinat\$5 or target \$5) near3 (address or information)))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:10
S136	2	@ad<"20030411" and network\$3 and (((generat\$5 or build\$3 or creat\$5 or (set near up)) with (bit near map \$4)) with ((destinat\$5 or target\$5) near3 (address or information)))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:11
S137	16	@ad<"20030411" and network\$3 and (((generat\$5 or build\$3 or creat\$5 or (set near up)) with (bit near3 map \$4)) same ((destinat\$5 or target\$5) near3 (address or information)))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:11

S138	16	@ad<"20030411" and network\$3 and (((generat\$5 or build\$3 or creat\$5 or (set \$4 near up)) with (bit near3 map\$4)) same ((destinat\$5 or target\$5) near3 (address or information)))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:26
S139	160	@ad<"20030411" and network\$3 and (filter\$5 with (bit near3 map))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:27
S140	145	@ad<"20030411" and network\$3 and (filter\$5 with (bit adj map))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:27
S141	16	@ad<"20030411" and network\$3 same (filter\$5 with (bit adj map))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:27
S142	28	@ad<"20030411" and (network\$3 or firewall or rout \$7) same (filter\$5 with (bit adj map))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:28
S143	29	@ad<"20030411" and (network\$3 or firewall or rout \$7) same (filter\$5 with (bit adj map))	US-PGPUB; USPAT	OR	ON	2007/10/09 14:57
S144	4	"20020012341" or "20020009083"	US-PGPUB; USPAT	OR	ON	2007/10/09 16:34
S145	7	"212211".ap.	US-PGPUB; USPAT	OR	ON	2007/10/09 15:04
S146	4	S144 and (network)	US-PGPUB; USPAT	OR	ON	2007/10/09 16:34
S147	4	S144 and (local near3 network)	US-PGPUB; USPAT	OR	ON	2007/10/09 16:34
S148	3	S144 and (local near area near network)	US-PGPUB; USPAT	OR	ON	2007/10/09 16:35
S149	0	S144 and (local near area near network) and (file near server)	US-PGPUB; USPAT	OR	ON	2007/10/09 16:36
S150	3	S144 and (local near area near network)	US-PGPUB; USPAT	OR	ON	2007/10/09 16:36
S151	2	S144 and (file)	US-PGPUB; USPAT	OR	ON	2007/10/09 16:38
S152	4	S144 and (logical)	US-PGPUB; USPAT	OR	ON	2007/10/09 17:12
S153	1	"5951651".pn.	US-PGPUB; USPAT	OR	ON	2007/10/09 17:12
S154	1	"5951651".pn. and (map)	US-PGPUB; USPAT	OR	ON	2007/10/09 17:14

S155	1	"7136381".pn.	US-PGPUB; USPAT	OR	ON	2007/10/09 17:14
S156	1	"7136381".pn. and (map)	US-PGPUB; USPAT	OR	ON	2007/10/09 17:14
S157	18	(US-20030128688-\$ or US-20040066781-\$ or US-20040066780-\$ or US-20020009083-\$ or US-20020012341-\$ or US-20040032869-\$ or US-20030084053-\$).did. or (US-6501757-\$ or US-5689505-\$ or US-4757529-\$ or US-7076568-\$ or US-6792518-\$ or US-7143132-\$ or US-7099317-\$ or US-7136381-\$ or US-6611901-\$ or US-5951651-\$ or US-5068892-\$).did.	US-PGPUB; USPAT	OR	ON	2007/10/09 17:16
S158	7	S157 and (map with logical)	US-PGPUB; USPAT	OR	ON	2007/10/10 09:35
S159	0	"7136381".pn. and (compar \$9)	US-PGPUB; USPAT	OR	ON	2007/10/10 09:36
S160	1	"7136381".pn.	US-PGPUB; USPAT	OR	ON	2007/10/10 09:37
S161	1	"7136381".pn. and (trunk)	US-PGPUB; USPAT	OR	ON	2007/10/10 10:17
S162	1	"7136381".pn. and (source and destination)	US-PGPUB; USPAT	OR	ON	2007/10/10 10:24
S163	1	"7136381".pn. and (address)	US-PGPUB; USPAT	OR	ON	2007/10/10 10:24
S164	18	(US-20030128688-\$ or US-20040066781-\$ or US-20040066780-\$ or US-20020009083-\$ or US-20020012341-\$ or US-20040032869-\$ or US-20030084053-\$).did. or (US-6501757-\$ or US-5689505-\$ or US-4757529-\$ or US-7076568-\$ or US-6792518-\$ or US-7143132-\$ or US-7099317-\$ or US-7136381-\$ or US-6611901-\$ or US-5951651-\$ or US-5068892-\$).did.	US-PGPUB; USPAT	OR	ON	2007/10/10 10:43
S165	2	S164 and (ip near address) and (local near area near network\$3) and (file near server)	US-PGPUB; USPAT	OR	ON	2007/10/10 10:44

S166	1	S164 and (ip near address) and (local near area near network\$3) and (file near server) and (ip near data)	US-PGPUB; USPAT	OR	ON	2007/10/10 10:45
S167	2	S164 and (ip near address) and (local near area near network\$3) and (file near server) and (ip)	US-PGPUB; USPAT	OR	ON	2007/10/10 10:46
S168	11	S164 and (ip)	US-PGPUB; USPAT	OR	ON	2007/10/10 10:46
S169	0	@ad<"20030411" and network and (local near area near network) and (file near server) and (logical near "and") and (ip near address) and (ip near data)	US-PGPUB; USPAT	OR	ON	2007/10/10 10:57
S170	193	@ad<"20030411" and network and (local near area near network) and (file near server) and (logical) and (ip near address) and (ip near data)	US-PGPUB; USPAT	OR	ON	2007/10/10 10:57
S171	14	@ad<"20030411" and network and (local near area near network) and (file near server) and (logical near "and") and (ip near address)	US-PGPUB; USPAT	OR	ON	2007/10/10 11:07
S172	10	@ad<"20030411" and network and (local near area near network) and (file near server) and (logical near "and") and (ip near address) and (map)	US-PGPUB; USPAT	OR	ON	2007/10/10 11:02
S173	9	@ad<"20030411" and network and (local near area near network) and (file near server) and (logical near "and") and (ip near address) and (bitmap)	US-PGPUB; USPAT	OR	ON	2007/10/10 11:07
S174	1	"6484261".pn. and network and (local near area near network) and (file near server) and (logical near "and") and (ip near address)	US-PGPUB; USPAT	OR	ON	2007/10/10 13:55
S175	0	"10646976".pn. and (trunk \$3)	US-PGPUB; USPAT	OR	ON	2007/10/10 13:55
S176	1	"7136381".pn. and (trunk\$3)	US-PGPUB; USPAT	OR	ON	2007/10/10 13:55
S177	1	"7143132".pn.	US-PGPUB; USPAT	OR	ON	2007/10/10 14:53

S178	1	"20040205000"	US-PGPUB; USPAT	OR	ON	2008/04/25 11:16
S179	1	"20040205000"	US-PGPUB; USPAT	OR	ON	2008/04/25 14:16
S180	2	"20020012341"	US-PGPUB; USPAT	OR	ON	2008/04/25 14:58
S181	1	"7136381".pn.	US-PGPUB; USPAT	OR	ON	2008/04/25 15:16
S182	730	@ad<"20030411" and (compar\$9 with (bit adj2 map))	US-PGPUB; USPAT	OR	ON	2008/04/25 15:54
S183	343	@ad<"20030411" and (compar\$9 with (bit adj2 map)) and (genera\$9 with (bit adj3 map))	US-PGPUB; USPAT	OR	ON	2008/04/25 15:56
S184	343	@ad<"20030411" and (compar\$9 with (bit adj2 map) with (map)) and (genera\$9 with (bit adj3 map))	US-PGPUB; USPAT	OR	ON	2008/04/25 16:01
S185	343	@ad<"20030411" and (compar\$9 with (bit adj2 map) with (bit adj2 map)) and (genera\$9 with (bit adj3 map))	US-PGPUB; USPAT	OR	ON	2008/04/25 16:01
S186	165	@ad<"20030411" and (compar\$9 with (bit adj2 map) with (bit adj2 map)) same (genera\$9 with (bit adj3 map))	US-PGPUB; USPAT	OR	ON	2008/04/25 16:01
S187	157	@ad<"20030411" and (compar\$9 with (bit adj2 map) with (bit adj2 map)) same (genera\$9 with (bit adj2 map))	US-PGPUB; USPAT	OR	ON	2008/04/25 16:02
S188	143	@ad<"20030411" and (compar\$9 with (bit adj map) with (bit adj map)) same (genera\$9 with (bit adj map))	US-PGPUB; USPAT	OR	ON	2008/04/25 16:03
S189	4	(6069971 6507877 5768556 7280541).pn.	US-PGPUB; USPAT	OR	ON	2008/04/28 09:47
S190	0	S189 and (secur\$5)	US-PGPUB; USPAT	OR	ON	2008/04/28 09:47
S191	2	S189 and (port)	US-PGPUB; USPAT	OR	ON	2008/04/28 09:47
S192	1	"20040205000"	US-PGPUB; USPAT	OR	ON	2008/04/28 11:47

S193	1	"20040205000" and (software or program or signal or carrier or wave)	US-PGPUB; USPAT	OR	ON	2008/04/28 11:47
S194	1	"20040205000"	US-PGPUB; USPAT	OR	ON	2008/11/24 15:23
S195	2	"20030174703"	US-PGPUB; USPAT	OR	ON	2008/11/24 16:09
S196	2	"20030174703" and (map or bit)	US-PGPUB; USPAT	OR	ON	2008/11/24 16:09
S197	32	(US-20020145995-\$ or US-20030043938-\$ or US-20030128688-\$ or US-20040066781-\$ or US-20040066780-\$ or US-20020009083-\$ or US-20020012341-\$ or US-20020154324-\$ or US-20030174703-\$ or US-20040032869-\$ or US-20030084053-\$).did. or (US-6832279-\$ or US-6507877-\$ or US-6501757-\$ or US-5689505-\$ or US-4757529-\$ or US-5457478-\$ or US-7076568-\$ or US-6792518-\$ or US-7143132-\$ or US-6829695-\$ or US-7099317-\$ or US-6484261-\$ or US-6334123-\$ or US-7136381-\$ or US-5828778-\$ or US-5768556-\$ or US-6611901-\$ or US-5951651-\$ or US-7280541-\$ or US-6069971-\$ or US-5068892-\$).did.	US-PGPUB; USPAT	OR	ON	2008/11/24 16:14
S198	32	S197 and (bit or map)	US-PGPUB; USPAT	OR	ON	2008/11/24 16:14
S199	16	S197 and (compar\$10 near3 (bit or map))	US-PGPUB; USPAT	OR	ON	2008/11/24 16:14
S200	24	@ad<"20040411" and (generat\$5 near4 (bit adj map)) same (packet\$3)	US-PGPUB; USPAT	OR	ON	2008/11/24 16:51
S201	148	@ad<"20040411" and (generat\$5 near4 (bit adj map)) same (packet\$3 or fram\$3)	US-PGPUB; USPAT	OR	ON	2008/11/24 16:51
S202	28	@ad<"20040411" and (generat\$5 near4 (bit adj map)) same (packet\$3 or (data adj frame\$1))	US-PGPUB; USPAT	OR	ON	2008/11/24 16:51

S203	60	@ad<"20040411" and ((creat\$3 or generat\$5) near4 (bit adj map)) same (packet\$3 or (data adj frame\$1))	US-PGPUB; USPAT	OR	ON	2008/11/24 16:52
S204	33	@ad<"20040411" and ((creat\$3 or generat\$5) near4 (bit adj map)) same (packet\$3 or (data adj frame\$1)) same address	US-PGPUB; USPAT	OR	ON	2008/11/24 16:53
S205	39	@ad<"20040411" and ((creat\$3 or generat\$5) near4 (bit adj map)) same (packet\$3 or (data adj frame\$1) or message) same address	US-PGPUB; USPAT	OR	ON	2008/11/24 16:53
S206	1	"4991171".pn.	US-PGPUB; USPAT	OR	ON	2008/11/25 11:01
S207	416	@ad<"20040411" and (compar\$10 near4 (bit adj map) with (bit adj map))	US-PGPUB; USPAT	OR	ON	2008/11/25 11:14
S208	12	@ad<"20040411" and (compar\$10 near4 (bit adj map) with (bit adj map)) same port	US-PGPUB; USPAT	OR	ON	2008/11/25 11:14
S209	1	"4896934".pn. and (output near2 field)	US-PGPUB; USPAT	OR	ON	2008/11/25 11:28
S210	1	"4991171".pn.	US-PGPUB; USPAT	OR	ON	2008/11/25 14:13
S211	1	"4991171".pn. and (bit adj map)	US-PGPUB; USPAT	OR	ON	2008/11/25 14:14
S212	1	"4991171".pn. and (generat\$5 or creat\$5) with (bit adj map)	US-PGPUB; USPAT	OR	ON	2008/11/25 14:15
S213	0	"4896934".pn. and (forward\$3 or send\$3)	US-PGPUB; USPAT	OR	ON	2008/11/25 14:41
S214	1	"4896934".pn. and (broad\$10)	US-PGPUB; USPAT	OR	ON	2008/11/25 14:41
S215	2	"4896934".pn. or "4991171".pn.	US-PGPUB; USPAT	OR	ON	2008/11/25 15:11
S216	0	S215 and (router)	US-PGPUB; USPAT	OR	ON	2008/11/25 15:15
S217	2	S215 and (switch\$3)	US-PGPUB; USPAT	OR	ON	2008/11/25 15:15
S218	2	S215 and (rout\$4)	US-PGPUB; USPAT	OR	ON	2008/11/25 15:15
S219	0	S215 and (process\$4)	US-PGPUB; USPAT	OR	ON	2008/11/25 15:26
S220	1	S215 and (proc\$10)	US-PGPUB; USPAT	OR	ON	2008/11/25 15:27

S221	1	"6484261".pn. and (process \$3)	US-PGPUB; USPAT	OR	ON	2008/11/25 15:28
S222	2	S215 and (sourc\$3 and destinat\$5)	US-PGPUB; USPAT	OR	ON	2008/11/25 15:31
S223	0	S215 and (ip adj address)	US-PGPUB; USPAT	OR	ON	2008/11/25 16:26
S224	0	S215 and (tcp)	US-PGPUB; USPAT	OR	ON	2008/11/25 16:26
S225	0	S215 and (logical)	US-PGPUB; USPAT	OR	ON	2008/11/25 16:27
S226	0	S215 and (IP)	US-PGPUB; USPAT	OR	ON	2008/11/25 16:35
S227	0	S215 and (data adj frame)	US-PGPUB; USPAT	OR	ON	2008/11/25 16:35
S228	2	S215 and (packet)	US-PGPUB; USPAT	OR	ON	2008/11/25 16:35
S229	0	"6484261".pn. and (desination near address)	US-PGPUB; USPAT	OR	ON	2008/11/25 16:46
S230	0	"6484261".pn. and (destination near address)	US-PGPUB; USPAT	OR	ON	2008/11/25 16:46
S231	1	"6484261".pn. and (destination)	US-PGPUB; USPAT	OR	ON	2008/11/25 16:46
S232	38	(US-20020145995-\$ or US-20030043938-\$ or US-20030128688-\$ or US-20040066781-\$ or US-20040066780-\$ or US-20020009083-\$ or US-20020012341-\$ or US-20020154324-\$ or US-20030174703-\$ or US-20040032869-\$ or US-20030084053-\$).did. or (US-6832279-\$ or US-6507877-\$ or US-6501757-\$ or US-4896934-\$ or US-5689505-\$ or US-4757529-\$ or US-5457478-\$ or US-7076568-\$ or US-6792518-\$ or US-7143132-\$ or US-6829695-\$ or US-7099317-\$ or US-6484261-\$ or US-6334123-\$ or US-7136381-\$ or US-5828778-\$ or US-5768556-\$ or US-6611901-\$ or US-6862279-\$ or US-5005167-\$ or US-5555542-\$ or US-5951651-\$ or US-7280541-\$ or US-5001702-\$ or US-6069971-\$ or US-5068892-\$).did. or (US-6473431-\$).	US-PGPUB; USPAT	OR	ON	2009/05/14 15:07

		did.				
S233	8	S232 and (general\$8 with map with address)	US-PGPUB; USPAT	OR	ON	2009/05/14 15:08
S234	3	"20010012294" or "20020012341"	US-PGPUB; USPAT	OR	ON	2009/05/14 15:16
S235	3	S234 and (map and address)	US-PGPUB; USPAT	OR	ON	2009/05/14 15:17
S236	1464	(@ad<"20030411" or @riad<"20030411") and (general\$8 near5 map with address)	US-PGPUB; USPAT	OR	ON	2009/05/14 15:25
S237	13	(@ad<"20030411" or @riad<"20030411") and (general\$8 near5 map with (destination near address))	US-PGPUB; USPAT	OR	ON	2009/05/14 15:25
S238	41	(@ad<"20030411" or @riad<"20030411") and (general\$8 near5 map with ((destination or target) near3 address))	US-PGPUB; USPAT	OR	ON	2009/05/14 15:26
S239	1	"7151777".pn. and (multicast \$3 near address)	US-PGPUB; USPAT	OR	ON	2009/05/14 16:06
S240	2	(7095741 7151777).pn.	US-PGPUB; USPAT	OR	ON	2009/05/14 16:18
S241	0	S240 and (IP)	US-PGPUB; USPAT	OR	ON	2009/05/14 16:18
S242	0	S240 and (TCP)	US-PGPUB; USPAT	OR	ON	2009/05/14 16:18
S243	0	(7095741 7151777).pn. and (tcp or ip)	US-PGPUB; USPAT	OR	ON	2009/05/14 16:19
S244	0	(7095741 7151777).pn. and (unix)	US-PGPUB; USPAT	OR	ON	2009/05/14 16:19
S245	2	(7095741 7151777).pn. and (address)	US-PGPUB; USPAT	OR	ON	2009/05/14 16:19
S246	1	(7095741 7151777).pn. and (logical)	US-PGPUB; USPAT	OR	ON	2009/05/14 16:20
S247	1	(7095741 7151777).pn. and (source and destination)	US-PGPUB; USPAT	OR	ON	2009/05/14 16:20
S248	0	(7095741 7151777).pn. and (source near address)	US-PGPUB; USPAT	OR	ON	2009/05/14 16:21
S249	0	(7095741 7151777).pn. and (file near server)	US-PGPUB; USPAT	OR	ON	2009/05/14 16:21
S250	1	(7095741 7151777).pn. and (local near area)	US-PGPUB; USPAT	OR	ON	2009/05/14 16:21
S251	2	(7095741 7151777).pn. and (process\$3)	US-PGPUB; USPAT	OR	ON	2009/05/14 16:22
S252	0	(7095741 7151777).pn. and ("and")	US-PGPUB; USPAT	OR	ON	2009/05/14 16:23

S253	1	(7095741 7151777).pn. and (network)	US-PGPUB; USPAT	OR	ON	2009/05/14 16:46
S254	1	"4896934".pn.	US-PGPUB; USPAT	OR	ON	2009/11/24 11:47
S255	2	"20060091219"	US-PGPUB; USPAT	OR	ON	2009/11/25 10:05
S256	1	"20070064934" and (key)	US-PGPUB; USPAT	OR	ON	2009/11/25 10:31
S257	0	"20060091219" and (key)	US-PGPUB; USPAT	OR	ON	2009/11/25 10:34
S258	2	"20060091219"	US-PGPUB; USPAT	OR	ON	2009/11/25 10:34
S259	0	"20060091219" and (key)	US-PGPUB; USPAT	OR	ON	2009/11/25 10:34
S260	2	(6973187 5341427).pn.	US-PGPUB; USPAT	OR	ON	2009/11/25 10:35
S261	2	S260 and (key)	US-PGPUB; USPAT	OR	ON	2009/11/25 10:35
S262	2	S260 and (key and algorithm)	US-PGPUB; USPAT	OR	ON	2009/11/25 11:01
S263	1	S260 and (validat\$6)	US-PGPUB; USPAT	OR	ON	2009/11/25 11:44
S264	2	S260 and (validat\$6 or verifi\$10 or authen\$10)	US-PGPUB; USPAT	OR	ON	2009/11/25 11:45
S265	1	"4896934".pn.	US-PGPUB; USPAT	OR	ON	2010/02/16 09:52
S266	1	"20040205000"	US-PGPUB; USPAT	OR	ON	2010/06/04 13:02
S267	2	(7151777 4896934).pn.	US-PGPUB; USPAT	OR	ON	2010/06/04 13:11
S268	3	"20020138721" or (5659569 6724813).pn.	US-PGPUB; USPAT	OR	ON	2010/06/04 13:27
S269	1	"4896934".pn.	US-PGPUB; USPAT	OR	ON	2010/06/04 16:20
S270	2	"4896934".pn. or "7151777".pn.	US-PGPUB; USPAT	OR	ON	2010/06/04 16:39
S271	1	S270 and (dynamic\$10 or flexi\$10)	US-PGPUB; USPAT	OR	ON	2010/06/04 16:39
S272	2	S270 and (map\$3 or generat\$5)	US-PGPUB; USPAT	OR	ON	2010/06/04 16:54
S273	1	"20040205000" and (map or generat\$10)	US-PGPUB; USPAT	OR	ON	2010/06/04 17:11
S274	1	"7697526".pn. and (port near match near entry)	US-PGPUB; USPAT	OR	ON	2010/06/07 09:22
S275	1	"7151777".pn.	US-PGPUB; USPAT	OR	ON	2010/06/07 09:39

S276	1	"7151777".pn. and (generat\$5)	US-PGPUB; USPAT	OR	ON	2010/06/07 09:39
S277	1	"4896934".pn.	US-PGPUB; USPAT	OR	ON	2010/06/07 10:08
S278	1	"20040205000"	US-PGPUB; USPAT	OR	ON	2010/06/08 15:32
S279	1	"20040205000" and (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/08 15:32
S280	0	(@ad<"20030411" or @rlad<"20030411") and (generat\$5 near5 (security near bit near map))	US-PGPUB; USPAT	OR	ON	2010/06/08 16:14
S281	7	(@ad<"20030411" or @rlad<"20030411") and (generat\$5 near5 (security near2 map))	US-PGPUB; USPAT	OR	ON	2010/06/08 16:15
S282	8	(@ad<"20030411" or @rlad<"20030411") and (generat\$5 near5 (security near3 map))	US-PGPUB; USPAT	OR	ON	2010/06/08 16:15
S283	24837	(@ad<"20030411" or @rlad<"20030411") and (generat\$5 near5 map)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:16
S284	261	(@ad<"20030411" or @rlad<"20030411") and (generat\$5 near5 map) with (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:16
S285	161	(@ad<"20030411" or @rlad<"20030411") and (generat\$5 near5 map) with (rule or polic\$5) and (packet or frame)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:17
S286	149	(@ad<"20030411" or @rlad<"20030411") and (generat\$5 near5 map) with (rule or polic\$5) and (packet or frame) and (rout\$6 or switch\$3)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:17
S287	7	(@ad<"20030411" or @rlad<"20030411") and (generat\$5 near5 bit near2 map) with (rule or polic\$5) and (packet or frame) and (rout\$6 or switch\$3)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:23
S288	14	(@ad<"20030411" or @rlad<"20030411") and (generat\$5 near5 bit near2 map) with (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:23

S289	35	(@ad<"20030411" or @rlad<"20030411") and ((generat\$5 or identi\$10 or determin\$5 or retriev\$6 or produc\$6 or creat\$6) near5 bit near2 map) with (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:24
S290	37	(@ad<"20030411" or @rlad<"20030411") and ((generat\$5 or identi\$10 or determin\$5 or retriev\$6 or produc\$6 or creat\$6 or search\$5) near5 bit near2 map) with (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:25
S291	0	"20040205000" and ((generat\$5 or identi\$10 or determin\$5 or retriev\$6 or produc\$6 or creat\$6 or search\$5) near5 bit near2 map) with (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:41
S292	1	"20040205000" and (bit near2 map) with (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:41
S293	237	(@ad<"20030411" or @rlad<"20030411") and (bit near2 map) with (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:42
S294	213	(@ad<"20030411" or @rlad<"20030411") and (bit adj2 map) with (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:42
S295	0	(@ad<"20030411" or @rlad<"20030411") and (secur\$5 near3 bit adj2 map) with (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:42
S296	126	(@ad<"20030411" or @rlad<"20030411") and (bit adj2 map) with (rule or polic\$5) and (rout\$5 or switch\$5) and (packet or frame)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:43
S297	126	(@ad<"20030411" or @rlad<"20030411") and (bit adj2 map) with (rule or polic\$5) and (rout\$5 or switch\$5) and (packet or frame)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:44
S298	126	S297 and (bit adj2 map) with (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/08 16:45
S299	2	(4896934 7151777).pn.	US-PGPUB; USPAT	OR	ON	2010/06/09 11:24
S300	3	(4896934 7151777).pn. or "6484261".pn.	US-PGPUB; USPAT	OR	ON	2010/06/09 11:55

S301	3	(4896934 7151777).pn. or "6484261".pn.	US-PGPUB; USPAT	OR	ON	2010/06/09 13:45
S302	2	S301 and (logical)	US-PGPUB; USPAT	OR	ON	2010/06/09 13:45
S303	3	S301 and (compar\$10)	US-PGPUB; USPAT	OR	ON	2010/06/09 13:49
S304	1	"20040205000" and (rule)	US-PGPUB; USPAT	OR	ON	2010/06/09 14:04
S305	32	(@ad<"20030411" or @rlad<"20030411") and ((generat\$5 or identi\$10 or search\$5 or find or (lookup or look) or determin\$5 or decid\$5 or retriev\$6 or produc\$6 or creat\$6) near5 (bit near2 map)) with (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/15 15:32
S306	34	(@ad<"20030411" or @rlad<"20030411") and ((generat\$5 or identi\$10 or search\$5 or find or (lookup or look) or determin\$5 or decid\$5 or retriev\$6 or produc\$6 or creat\$6) near5 (bit near2 map)) with (rule or polic\$5)	US-PGPUB; USPAT; EPO	OR	ON	2010/06/15 15:44
S307	2	S306 not S305	US-PGPUB; USPAT; EPO	OR	ON	2010/06/15 15:44
S308	166	(@ad<"20030411" or @rlad<"20030411") and (router or switch) and (bit adj2 map) same (destination near address)	US-PGPUB; USPAT	OR	ON	2010/06/15 15:52
S309	110	(@ad<"20030411" or @rlad<"20030411") and (router or switch) and (bit adj2 map) same (destination near address) and (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/15 15:53
S310	100	(@ad<"20030411" or @rlad<"20030411") and (router or switch) and (bit adj2 map) same (destination near address) same(rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/15 15:55

S311	100	(@ad<"20030411" or @rlad<"20030411") and (router or switch) and (bit adj2 map) same (destination near address) same (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/15 15:55
S312	100	(@ad<"20030411" or @rlad<"20030411") and (router or switch) and (bit adj2 map) same (destination near address) same (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/15 15:55
S313	100	S312 and (bit adj2 map) same (destination near address) same (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/15 15:56
S314	111	(@ad<"20030411" or @rlad<"20030411") and (rout\$4 or switch\$4) and (bit adj2 (map or string)) same (destination near2 address) same (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/15 16:37
S315	100	(@ad<"20030411" or @rlad<"20030411") and (router or switch) and (bit adj2 map) same (destination near address) same (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/15 16:38
S316	100	S315 and (bit adj2 map) same (destination near address) same (rule or polic\$5)	US-PGPUB; USPAT	OR	ON	2010/06/15 16:38
S317	11	S314 not S316	US-PGPUB; USPAT	OR	ON	2010/06/15 16:38
S318	0	"6658002".pn. and (multicast \$5 or multi-cast\$5)	US-PGPUB; USPAT	OR	ON	2010/06/16 11:59

6/ 16/ 2010 2:54:30 PM

C:\ Documents and Settings\ jpan\ My Documents\ EAST\ Workspaces\ 10646976.wsp